

20 November 2018

Dear SASREG Members

RE: Hysteroscopic tissue removal systems

The diagnosis and treatment of intra uterine pathology has greatly progressed over the past 30 years. Traditional D&C has been replaced by diagnostic and operative hysteroscopy.

Recently new systems have come on the market. Hysteroscopic tissue removal systems (HTRS) can be used to remove endometrial polyps, soft myomas and retained placental products from the uterine cavity. HTRS do not replace the bipolar resectoscope and the bipolar resectoscope remains a very valuable instrument in trained hands. However, the advantages of Hysteroscopic tissue removal systems are clear.

There are 4 randomized trials (van Dongen, Hamerlynck, Pampalona and Smith) and two retrospective studies (Emanuel and AlHilli) that show the benefits of the HTRS. There is a meta-analysis published (Chunbo 2016) that confirms that the new Hysteroscopic tissue removal systems are associated with a higher operative success rate and a shorter operative time among patients with endometrial lesions than resectoscopy. There is also a recent systematic review (Vitale 2017).

Therefore, SASREG supports the use of HTRS for the treatment of intracavital pathology inclusive polyps, retained products of conception and certain myomas.

Kind Regards

Dr Sulaiman Heylen

EXECUTIVE COMMITTEE

President

Dr Sulaiman Heylen
Vice-President
Dr Danie Botha
Honorary Secretary
Lydia Els-Smit

Honorary TreasurerProf Thinus Kruger

Ex Officio: Past President

Dr Paul Le Roux

Members

Dr Abri de Bruin
Prof Igno Siebert
Dr Chris Venter
Prof Silke Dyer
Dr Yossi Unterslak
Dr Viju Thomas
Dr Noluyolo Sigcu
Dr Nomathamsanqa Matebese
Mr Gerhard Boshoff
(Embryologist SIG)
Ms Karin Schwenke
(Nurses SIG)
Dr Karin Barkema
(Councellors SIG)

SECRETARIAT

Turners Secretariat (Pty) Ltd PO Box 1935 Durban, 4000 South Africa

Tel: +27 31 368 8000 Fax: +27 31 368 6623 Email: info@sasreg.co.za

A Member of



International Federation of Fertility S**୍ର**ମ୍ପ୍ରଶ୍ରେଷ୍ଟାମ୍ପର୍ଥ୍ୟ man Heyle।

References:

- 1. Van Dongen H, Emanuel MH, Wolterbeek R, Trimbos JB, Jansen FW. Hysteroscopic morcellator for removal of intrauterine polyps and myomas: a randomized controlled pilot study among residents in training. J Minim Invasive Gynecol. 2008;15:466–471.
- 2. Hamerlynck TW, Schoot BC, van Vliet HA, Weyers S. Removal of endometrial polyps: hysteroscopic morcellation versus bipolar resectoscopy, a randomized trial. J Minim Invasive Gynecol. 2015;22:1237–1243.
- 3. Pampalona JR, Bastos MD, Moreno GM, et al. A comparison of hysteroscopic mechanical tissue removal with bipolar electrical resection for the management of endometrial polyps in an ambulatory care setting: preliminary results. J Minim Invasive Gynecol. 2015;22:439–445.
- 4. Smith PP, Middleton LJ, Connor M, Clark TJ. Hysteroscopic morcellation compared with electrical resection of endometrial polyps: a randomized controlled trial. Obstet Gynecol. 2014;123:745–751.
- 5. Emanuel MH, Wamsteker K. The Intra Uterine Morcellator: a new hysteroscopic operating technique to remove intrauterine polyps and myomas. J Minim Invasive Gynecol. 2005;12:62–66.
- 6. AlHilli MM, Nixon KE, Hopkins MR, Weaver AL, Laughlin-Tommaso SK, Famuyide AO. Long-term outcomes after intrauterine morcellation vs hysteroscopic resection of endometrial polyps. J Minim Invasive Gynecol. 2013;20:215–221.
- 7. Li, C., Dai, Z., Gong, Y., Xie, B. and Wang, B. (2017), A systematic review and meta-analysis of randomized controlled trials comparing hysteroscopic morcellation with resectoscopy for patients with endometrial lesions. Int J Gynecol Obstet, 136: 6-12. doi:10.1002/ijgo.12012.
- 8. Salvatore Giovanni Vitale, Fabrizio Sapia, Agnese Maria Chiara Rapisarda, et al., "Hysteroscopic Morcellation of Submucous Myomas: A Systematic Review," BioMed Research International, vol. 2017, Article ID 6848250, 6 pages, 2017.